

INDEX MAPS.

T. 1 S. R. 7 W. 2d Mer.



T. 2 S. R. 7 W. 2d Mer.



☞ The figures on the lines refer to the page.

T. No 2. South of Range No 7. West of the 2nd Mer.

South		On East line of Sec 1. T. 2. S. R. 7 W. over 1st rate Upland, gently rising & descending. Timber. W. Oak. Hickory. Beech. Poplar. & Sugar tree. Herbage &c.
5.	50	The Bed of a Run 4. lks. wide. Course S. E.
9.	00	The Bed of a Run 4. lks. wide. Course E.
10.	04	A Beech 18. inl. diam.r in the line
16.	62	A W. Oak 27. inl. diam.r in the line
40.	00	Set a half mile Post; from which a Beech 12. inl. diam.r bears N. 49. W 48. lks. dist.t & W. Oak 30. inl. diam.r bears N. 17. E. 20. lks dist.t in the line
47.	50	A Brook 10. lks. wide. Course E.
55.	00	The Bed of a Run 6. lks. wide. Course E.ly
80.	00.	Set a Post Corner of Sec.s 1. & 2. from which a Beech 10. inl. diam.r bears N. 61. E. 34 lks. dist.t & a Suger tree 14 inl. diam.r bears N 49. W. 66. lks dist.t

---

South		On the East line of Sec. 12. T. 2. S. R. 7. W. Over the 1st Quality of Upland. Timber, same as. above,
9	80	A Beech 18. inl. diam.r in the line
15.	50	A Brook 25. lks. wide. Course S. W.
40.	00	Set a Post. from which a Beech 12 inl. diam.r bears N. 36. E 37. lks. dist.t & a Beech 20. inl. diam.r bears N. 38. W 47. lks. dist.t
42.	24	A B. Oak 21. inl. diam.r in the line
45.	00	The Bed of a Run 8. lks. wide. Course N.E.
64.	63	A W. Oak 21. inl. diam.r in the line.
80.	00	Set a Post Corner of Sec.s 12. & 13. from which a Beech 24. inl. diam.r bears S 33. E. 34. lks dist.t & a Do. 16. inl. diam.r bears S. 59. W. 49. lks dist.t

---

South		On the East line of Sec. 13. T. 2. S. R. 7. W. Level Bottom Land. 2nd rate. Timber, Beech. Ash & Maple.
2.	80	To Patches 200. lks. wide. Course S. 60. W.
19.	67	A Beech 18. inl. diam.r in the line
30.	00	An Open Marsh. Covered with a thick growth of Bramble & Willows.
40.	00	Runs West. and S—
58.	00	To level Bottom land. 2nd rate. Timber, Oak. Hickory. Beech & Elm.

T. № 2. S. R. № 7. W. 2nd Mer.

59.	19	An Oak 20. inc. diamr. in the line
65.	00	Crossed a Bend of the Petoka. running N.E.
30	01	Set a Post Corner of Secs. 13. & 24 from which an Ash 10 inc. diamr. bears N. 45. W. 28. lks. dist & an Ash 12. inc. diamr. bears N. 60 E. 33. lks dist Tuesday Nov 6th 1804.

South On the East Boundary of Sec. 24. T. 2 S. R. № 7. W. Over level Bottom Land 2nd Rate. Timber. Oak. Hickory Sugar tree & Ash.

12.	64	An Oak 24 inc. diamr. in the line
23.	77	A Sugar 15. inc. diamr. in the line.
25.	40	The Bed of a Run 10. lks. wide Course S. E.
29.	00	To 2nd rate Upland rote, Timber. Oak. Beech Hickory consisting with the Undergrowth
40.	00	Set a half mile Post from which a Gum 8 inc. diamr. bears S. 14. W. 9. lks. dist & an Oak 6 inc. diamr. bears S 60. E. 23. lks. dist
54.	18	A Hickory 6 inc. diamr. in the line
62.	50	The Bed of a Run 4 lks. wide. Course S. E.
70.	00	The Bed of a Run 6 lks. wide, Course E.
80.	00	Set a Post Corner of Secs. 24. & 25. from which an Oak 8 inc. diamr. bears N. 42. E. 52. lks dist & an Oak 8 inc. in diamr. bears N. 58. W. 47. lks. dist

---

South On the East Boundary of Sec. 25. T. 2. S. R. 7. W. Over 2nd rate Upland, gently rising & Descending. Timber. Oak. Hickory. Aspen & Gum, & Covered with Undergrowth.

9.	55	An Oak 18 inc. diamr. in the line
16.	75	Crossed a Brook 25. lks. wide. Course S. 30. E.
25.	51	A W. Oak 10 inc. diamr. in the line.
31.	50	The Bed of a Run 4 lks. wide. Course E.
40.	00	Set a Qr. Sec. Post from which a W. Oak 18. inc. diamr. bears N 56. W. 25. lks. dist & a W. Oak 24 inc. bears S 54. W. 39. lks. dist
46.	50	The Bed of a Run 6. lks. wide Course N. E.
53.	50	The Bed of a Run 6. lks. wide. Course E.
62.	00	The Bed of a Run 8. lks. wide. Course N. E.
63.	50	The Bed of a Run 4 lks. wide. Course N. E.
69.	40	A W. Oak 16. inc. diamr.

T. N. 2. S. R. N. 7. W. 2nd Mer.

ch.	lks.	
80.	00	Set a Post. Corner of Sec. 25 & 36. T. 2 S. R. 7. W. from which an Oak 10 in. diam. bears S. 28. E. 8. lks. dist. & an Oak 7 in. diam. bears S. 22. W. 44 lks. dist.
		South. On the East Boundary of Sec. 36, T. 2. S. R. 7. W. Over hilly. 2nd rate Uplands. Timber. Oak. Hickory & Gum, thick Underwood. some bottoms on the Streams.
10.	75	Cross a Brook. 20. lks. wide. Course North 60. E.
11.	11	A Gum 16 in. diam. in the line
40.	00	Set a half mile Post. from which a W. Oak 20 in. in diam. bears N. 52. W. 35. lks. dist. & a W. Oak 6 in. diam. bears S. 58. W. 10. lks. dist.
43.	00	The Bed of a Run 4 lks. wide Course N. E.
51.	50	The Bed of a Run 6 lks. wide. Course N E.
73.	00	A Brook. 13. lks. wide. Course N. E.
78.	99	A W. Oak 15. in. diam. in the line
80.	00	Set a Post at the S. E. Corner of Sec. 36. from which a W. Oak 24 in. diam. bears S 66. E. 18 lks. dist. & a W Oak 8. in. diam. bears N 52. E. 50 lks. dist. Nov 7. 1804.
		North. Between Sec. 35 & 36. T. 2 S. R. 7. W. Over 2nd rate Uplands. gradually rising and descending Timber. W. Oak. B. Oak. Hickory, Gum, & Dogwood.
12	70	To a run 3. lks. wide; Course N. E.
14.	04	An Oak 24 in. diam. in the line
19.	00	A Run 2. lks. wide; Course N. E.
24.	50	A Run 3 lks. wide. Course N E.
35.	20	A Brook 12. lks. wide, Course South E. Live water. Bluff Current.
40.	00	Set a Qr. Sec. Post, from which a Dogwood 7 in. diam. bears N. 45. W. 12. lks dist. & a D. 7 in. bears S. 54. E. 45. lks. dist.
42.	25	A Run 4. lks. wide. Course S. E.
57.	00	A Run 3. lks. wide, Course S. E.
60	66	A Run 3. lks wide. Coure S. E.
66.	88	A Hickory 9 in. diam. in the line
80.	00	Set a Post. corner of Sec. 25. 26. 35. & 36. from which an Oak 24 in. diam. bears S. 60. E 58. lks. dist. & an Oak.

T. No 2. S. R. No 7. W. 2nd Mer.

7. ins. diams. bears N 55. W. 58. lks. dist.

East — Between Sec. 25. & 36. T. 2. S. R. 7. W. Over 2nd rate Upland, thin & uneven. Timber, Oak. Gum Hickory Dogwood & Ash. covered with a thin Undergrowth

25. 02 A Hickory 16. ins. diam. in the line

40. 15 Set a Qr. Sec. Post. from which an Oak 6. ins. diam. bears N 38. E 62. lks. dist. & a Dogwood 6. ins. diam. bears N 60. W 11. lks. dist.

49. 00 A Run 3. lks. wide. Course S. E.

52. 00 A Run 3. lks. wide. Course South.

53. 90 A Hickory 6. ins. diam. in the line

63. 50 A Run 3. lks. wide. Course S.

70. 00 The Bed of a Run 3. lks. wide. Course S.

80. 30 Intersected East Range line at a Post. Corner of Sec. 25 & 36.

North — Between Sec. 25 & 26. T. 2. S. R. 7. W. Land & Timber the same as before

19. 71 A Gum 8. ins. in diam. in the line

39. 00 Bottom Land of the 2nd Quality. Maple Ash. Elm. Oak & Hick.

40. 00 Set a Qr. Sec. Post from which a Maple 14. ins. diam. bears S 20. W 26. lks. dist. & a Maple 10. ins. diam. bears N 30. E 21. lks. dist.

47. 11 A Brook 15. lks. wide. Course N 70. E.

53. 00 2nd rate Upland Timber. Oak. Hickory &c.

55. 67 An Oak 16. ins. diam. in the line

75. 00 A Run 4. lks. wide. Course E.

80. 11 Set a Post Corner of Sec. 23 24 25. & 26. from which a Oak 18. ins. diam. bears N 20. E 32. lks. dist. & an Oak 12. ins. diam. bears S 9. W 38. lks. dist.

North — Between Sec. 34 & 35. T. 2. S. R. 7. W. 2nd rate Upland. gently rising & descending Timber Oak. Hickory Dogwood &c. with Underwood.

13. 35 A Hickory 12. ins. diam. in the line

29. 00 A Run 4. lks. wide. Course S. W.

40. 00 Set a Qr. Sec. Post from which a W. Oak 24. ins. diam.

T. N. 2. S. R. N. 7. W. 2nd Mer.

		bears N. 68. W. 20 lks. dist. & a Pc. 20 ins. bears S. 55. E. 45. lks. dist.
41.	50	A Run 4. lks. wide. Course S. W.
43.	50	A Run 4. lks. wide. Course S. W.
64.	50	A Run 3. lks. wide. Course S. E.
66.	52	An Oak 16. ins. diam.r in the line
80.	00	Set a Post Corner of Sec.s 26. 27. 34 & 35. from which a W. Oak 12. ins. diam.r bears N. 37. W. 26. lks. dist. & a W. Oak 18. ins. diam.r bears S. 37. E. 13. lks. dist.

East — Between Sec.s 26 & 35. T. 2. S. R. 7. W. Over hilly 2nd rate Upland. Timber. Oak, Hickory Dogwood & Gum & a thick growth of Underwood.

14.	50	A Run 5. lks. wide. Course N. E.
29.	00	A Run 3. lks. wide. Course N. W.
29.	31	A W. Oak 21. ins. diam.r in the line
35.	30	A Run 4. lks. wide. Course N. W.
39.	97	A W. Oak 27. ins. diam.r in the line
40.	15	Set a Post: from which a Hickory 6. ins. diam.r bears N. 41 E. 36 lks. dist. & a Gum 7. ins. diam.r bears S. 45. W. 38. lks. dist.
10	50	A Run 3. lks. wide. Course N. W.
45.	00	A Hickory 12. ins. diam.r in the line
60.	00	The Bed of a Run 3. lks. wide Course N.
80.	30	Intersects the N. & S. line at a Pcl. Corner of Sec.s 25. 26. 35. & 36.

North — Between Sec.s 26 & 27. T. 2. S. R. 7. W. Hilly 2nd rate Upland. Soil good. Timber. W. Oak, Hickory, Gum & Ash.

21.	00	A Run 3. lks. wide. Course N. E.
21.	50	The Same " " " S. E.
27.	65	A Hickory 10. ins. diam.r in the line
40.	00	Set a Post from which a Gum 12. ins. diam.r bears S. 34. E. 23. lks. dist. & a Gum 9. ins. diam.r bears N. 50. W. 23. lks. dist.
47.	00	A Run 5. lks. wide. Course S. E.
67.	00	A Dogwood 9. ins. diam.r in the line
80.	00	Set a Post Corner of Sec.s 22. 23. 26. & 27. from which a W. Oak 10. ins. diam.r bears S. 39. E. 10. lks. dist. & a W. Oak 20. ins. in diam.r bears N. 47. W. 50. lks. dist.

40

T. № 2. S. R. № 7. W. 2nd Mer.

North — Between Sec.s 33 & 34 T. 2. S. R. 7. W. over 2nd Rate Upland, Timber. Oak. Hickory. Sassafras & Dogwood, & some rich Bottom on the Streams.

13. 40 A W. Oak. 20. in.s diam.r in the line
16. 20 A Run 3. lks. wide. Course N. W.
32. 50 A Run 4 lks wide. Course N. W.
40. 00 Set a Post from which a W. Oak 24 in.s diam.r bears S. 59. E. 49. lks. dist.t & a W. Oak 12. in.s diam.r bears N. 51. W. 2 lks.
41. 50 A Run 4. lks. wide; Course N. W.
49 00 The Bed of a Run 4. lks. wide Course N. W.
57. 50 A Brook 10. lks. wide. Course S. 70. W.
66. 00 The Same " " " S. 30. E.
68. 50 The Same " " " S. W.
80. 00 Set a Post Corner of Sec.s 27. 28. 33. & 34 from which a Hickory 12. in.s diam.r bears N. 51 E 47. lks. dist.t & a W. Oak 24. in.s diam.r bears S. 45. W. 92. lks. dist.t Monday Dec.r 3d 1804.

East — Between Sec.s 27. & 34. T. 2. S. R. 6 W. over 2nd rate Upland. Gully. Uneven. Timber. Oak. Hickory. Gum &c.

3. 75 A Run 6. lks. wide. Course. S. W.
35. 00 A Brook 3. lks wide. Course S. W.
39. 54 Set a Post from which a Sassafras 6. in.s diam.r bears N. 37. W. 45. lks. dist.t & an Oak 16. in.s diam.r bears S. 30. E. 2 1/2. lks. dist.t
79. 08 Intersect N. & S. line at a Post. Corner of Sec.s 25. 26 35. & 36.

North — Between Sec.s 27. & 28. T. 2 S. R. 7. W.

10. 67 A B. Oak 36 in.s diam.r in the line
24. 00 A Run 3. lks. wide. Course N. W.
36. 59 An Oak 18. in.s diam.r in the line
29. 20 A Run 4. lks. wide Course S. W.
40. 00 Set a Post from which a Dogwood 7. in.s diam.r bears N. 28. E. 13. lks. dist.t & a W. Oak 30. in.s diam.r bears N. 33 W. 45. lks. dist.t
48. 00 A Run 5. lks. wide. Course N. W.
51. 00 A Run 5. lks. wide. Course S. W.
52 49 An Oak 21 in.s diam.r in the line
70. 00 A Run 3. lks. wide; Course S. W.

T. No 2. S. R. No 7. W. 2nd Mer.

73.	00	The Same Run S. 1/2 wide. Course S. W.
73.	50	The Same " " " " " S. E.
77.	00	The Same " " " " " S. W.
77.	50	The Same " " " " " S. E.
80.	00	Set a Post Corner of Sec. 21. 22. 27 & 28. from which an Oak 21 in. diam. bears S. 47. E. 47 lks. dist & an Oak 22. in. diam. bears N 54. W. 4. lks. dist. This mile is mostly Upland of the 2nd Rate, Timber. Oak. Hickory & Gum: Some rich Bottom.

North		Between Sec. 32 & 33. T. 2. S. R. 7. W. Over low Ground. A Plum Orchard & Grape Vines. Land rich. but thinly Timbered. with Oak Hickory & Cherry.
11.	00	A Run 6. lks. wide. Course N. W.
20.	00	Upland of a 2nd rate Timber. Oak & Hickory.
20.	91	An Oak 10. in. diam. in the line
35.	50	A Run 4. lks. wide. Course S. E.
40.	00	Set a Post from which a W. Oak 16. in. diam. bears N. 20. W 28. lks. dist & a W. Oak 6. in. diam. bears S. 62. E 41. lks. dist.
38.	38	A Hickory 12. in. diam. in the line
80	00	Set a Post Corner of Sec. 28. 29 32 & 33. from which an Oak 16. in. diam. bears S. 13. W. 60. lks. dist.

East		Between Sec. 28 & 33. T. 2. S. R. 7. W. Over 1st rate Uplands. Timber. Oak. Hickory. Ash. Gum & Dogwood. & a thick growth of Underwood.
18.	50	A Run 5. lks. wide. Course N. E.
22.	50	A Run 5. lks. wide. Course N. W.
30.	19	A Hickory 15. in. diam. in the line
40.	13	Set a Post from which a W. Oak 16. in. diam. bears N. 70. W. 20. lks. dist & a W. Oak 27. in. diam. bears S. 49. E. 27. lks. dist.
51.	85	An Oak 19. in. diam. in the line
80.	26	Intersect the N. & S. line at a Post. Corner of Sec. 27. 28. 33. & 34.

North		Between Sec. 28 & 29. T. 2. S. R. 7. W. Over hilly hills. thinly timbered with Oak & Hickory Land good.

T. No 2. S. R. No 7. W. 2nd Mer.

14.	00	2nd rate Bottom land. Timber. Elm. Ash. W. Walnut. &c.
15.	00	A Run 5. lks. wide. Course W.
19.	00	A Brook 10. lks. wide. Course S. W.
23.	04	A B. Oak 24. inl. diam.r in the line
28.	00	2nd rate Upland. Timber. Oak. & Hickory.
40.	00	Set a Post from which a W. Oak 12. inl. diam.r bears S. 30. E. 15. lks. dist. & a Hickory 14 inl. diam.r bears N. 52 W. 18. lks.
61.	00	A Run 3. lks. wide. Course N. W.
63.	32	An Oak 22. inl. diam.r in the line
67.	00	A Run 4. lks. wide. Course W.
80.	00	Set a Post. Corner of Sec.s 20. 21. 28. & 29. from which a W. Oak. 24. inl. diam.r bears S. 44 E. 55. lks. dist. & a W. Oak 14 inl. diam.r bears N. 21. W. 57. lks. dist.

North		Between Sec.s 31. & 32 T. 2. S. R. 7. W. Over mostly level. 2nd rate land. Timber. Oak. Ash & Hickory.
33.	00	A Run 5. lks. wide. Course W.
40.	00	Set a Post from which an Oak 9. inl. diam.r bears S. 26. W. 42. lks. dist. & a Hickory 9. inl. diam.r bears N. 22. E. 45. lks. dist.
70.	00	A Run 3. lks. wide Course N. W.
80.	00	Set a Post Corner of Sec.s 29. 30. 31. & 32. from which a Gum 10. inl. diam.r bears N. 39. W. 60. lks. dist. & a Hickory 10. inl. diam.r bears S. 52. E. 54. lks. dist. Tuesday Dec. 4th 1804.

East		Between Sec.s 29. & 32. T. 2. S. R. 7. W. Over level first rate Upland. Timber. W. & B. Oak, Hickory, Ash, B. & W. Walnut. Gum. with a thick growth of Underwood & Grape Vines.
40.	01	Set a Post; from which an Elm 9. inl. diam.r bears N. 50. E. 36. lks. dist. & a W. Oak 17. inl. diam.r bears S. 51. W. 21. lks. dist.
42.	20	A Run 6 lks. wide. Course N. W.
59.	20	A Run 5. lks. wide. Course N. W.
78.	70	A Run 4 lks. wide. Course N. W.
80.	22.	Intersect the N. & S. line at a Post. Corner of Sec.s 28. 29. 32. & 33.

West		Between Sec.s 30. & 31. T. 2. S. R. 7. W. Over mostly

T. No 2. S R. No 7. W. 2nd Mer.

	land 1st rate Upland Timber. Oak. Hickory. Ash. Gum & W. Walnut & plenty of vine & herbage. Some rich Bottom on the Streams. W. Walnut & Elm.
12.	00 A Brook 25. lks. wide. Course S. 20. W.
26.	33 A Hickory 9. inc. diamr. in the line
32.	50 A Run 3. lks. wide Course N. W.
40.	00 Set a Post from which an Oak 10. inc. diamr. bears N. 22. W 10. lks. dist & an Oak 12. inc. diamr. bears S. 73. E. 38. lks. dist.
45.	83 A B. Oak 18. inc. diamr. in the line
83.	50 A Run 8. lks. wide Course S.
97.	30 Intersects W. Range line. 1.05 lks. de S. of the 1. mile Post. & Set a Post Corner of Sec. 30. & 31. from which a W. Oak 22. inc. diamr. bears S. 55. E. 68. lks. dist & a W Oak 16. inc. diamr. bears N. 33. E. 80. lks. dist.

North	Between Sec. 29. & 30. T. 2. S. R. 7. W. Land same as the last.
15.	00 2nd rate Bottom land. Ash. Elm. Birch & Maple. plenty of herbage. Undergrowth
11.	60 An Oak 18. inc. diamr. in the line
28.	00 A Brook 12. lks. wide. Course S. W.
39.	80 A Brook 12. lks wide. Course S. W.
40.	00 Set a Post from which an Elm 9. inc. diamr. bears S. 19. E. 33. lks. dist & a Birch 12. inc. diamr. bears N. 17. W. 33. lks dist.
55.	00 2nd rate Upland Timber. Oak & Hickory.
58.	00 A Run 4. lks. wide. Course S. E.
80.	00 Set a Post Corner of Sec. 19. 20. 29. & 30. from which an Oak 18. inc. diamr. bears S. 78. W. 25. lks. dist & an Oak 10. inc. diamr. bears N. 57. E. 31. lks dist.

West	Between Sec. 19. & 30. T. 2. S. R. 7. W. Over 2nd rate Upland. Gently rising & Descending. Timber Oak. Hickory. Gum & Ash.
22	85. A W. Oak 12. inc. diamr. in the line
27.	00 A Run 4. lks. wide. Course S. E.
40.	00 Set a Post from which an Oak 12 inc. diamr. bears S. 32. E. 10. lks. dist & an Oak 20. inc. diamr. bears N. 59. W. 35. lks. dist.
53.	66 A Run 4. lks. wide. Course South.

T. N. 2. S. R. N. 7. W. 2nd Mer.

57. 67	An Oak 22 inch. diam.r in the line
77. 00	A Run 3. lks. wide. Course S.
94. 53	Intersecting West Range line 2.77 lks. S. of the 2. mile Post. & Set a Post Corner of Sec.s 19 & 30. from which an Oak 20. inch. diam.r bears N. 37. E. 32 lks dist.t & an Oak 21. inch. diam.r bears S. 62. E. 26. lks. dist.t Thursday Dec 6th. 1804.

East	Between Sec.s 20 & 29. T. 2. S. R. 7. W. Over 2nd rate Upland. Timber, Oak. Hickory. Ash, Elm. Gum. & some rich Bottom of the Creeks.
9 30	A Run 6. lks. wide; Course S.
35. 00	A Run 6. lks. wide. Course S.
40. 17	Set a Post from which a W Oak 9. inch. diam.r bears S. 21. E. 10. lks. dist.t & a W. Oak 9. inch. diam.r bears N. 16. W. 24. lks. dist.
55. 00	A Run 10. lks. wide; Course S. W.
59. 00	A Run 10. lks. wide Course S. W.
60 00	The Same Run 10. lks. wide Course S. W.
61 00	The Same " " " " " S. E.
62. 00	The Same " " " " " N. E.
65. 00	The Same " " " " " N. W.
68. 12	An Oak 23 inch. in diam.r in the line
80. 34	Intersecting N. & S. line at a Post Corner of Sec.s 21. 28. 29. 20

East	Between Sec.s 21 & 28. T. 2. S. R. 7. W. Hilly & plains of the 2nd rate Timber. Oak. Ash. Gum. Hick.y & a little under wood.
14. 92	A W Oak 22. inch. diam.r in the line
22. 50	A Run 6. lks. wide. Course N. W.
40. 24	Set a Post from which a W. Oak 24 inch. diam.r bears S. 44. E. 12. lks. dist.t & a Sycamore 6. inch. diam.r bears N. 26 W 13. lks. dist.
51. 50	A Run 4. lks. wide. Course S. E.
57. 50	A Run 4. lks. wide. Course South.
68. 00	A Run 5. lks. wide; Course S. W.
80. 20	A Run 4 lks. wide. Course S. 20. W.
80. 48	Intersect. the N. & S. line at a Post Corner of Sec.s 21. 22 27 28.

East	Between Sec.s 22. & 27. T. 2. S. R. 7. W. Over hilly

1.06

T. No 2. S. R. No 7. W. 2nd Mer.

		2nd rate Upland; Timber. Oak. Hickory. Dogwood & S. Gum.
20.	74	A Hickory 21. inc. diamr. in the line
26.	00	A Run 4. lks. wide. Course. North.
39.	56	Set a Post from which. an Oak 18. inc. diamr. bears N. 16. W. 17. lks. dist & a Dogwood 6. inc. diamr. bears S. 32. E 33. lks. dist.
45.	00	A Run 3. lks. wide. Course N.
79.	12	Intersect the N. & S. line at a Post. Corner of Sec. 22. 23. 26. & 27.

East		Between Sec. 23. & 26. T. 2. S. R. 7. W. Over hilly 2nd rate Upland. Timber. as the last. Oak. Gum. &c &c.
21.	59	An Oak 18. inc. diamr. in the line
29.	00	A run 5. lks. wide. Course S. E.
37.	00	A Run 3. lks. wide; runs S. E. in the Bank a Bed of Stone Coal.
40.	09	Set a Post from which an Oak 12. inc. diamr. bears N 35. W. 33. lks. dist & an Oak 18. inc. diamr. bears S 65. E 12. lks. dist.
50.	00	A Run 3. lks. wide Course South.
50.	18	Intersect N. & S. line at Post, corner of Sec. 23. 24. 25. & 26.

East		Between Sec. 24. & 25. T. 2 S. R. 7. W. Over hilly Upland. 2nd rate. Timber. Oak. Hickory, Dogwood, Ash, & S. Gum.
2.	00	A Run 5. lks. wide. Course S. E.
11.	00	A Run 3. lks. wide. Course South.
27.	32	An Oak 21. inc. diamr. in the line
31.	00	A Run 3. lks. wide course S.
40.	09	Set a Post; from which an Oak 14. inc. diamr. bears N. 10. W. 43. lks. dist & an Oak 16. inc. diamr. bears S. 36. E. 44 lks. dist.
50.	18	Intersect. E. Range line. at a Post Corner of Sec. 24. & 25.

North		Between Sec. 23 & 24. T. 2. S. R. 7. W. Over 2nd rate Upland. gently ascending & descending Timber. W. Oak. Hickory Ash. Sugar Tree. Elm &c.
2.	00	A Run 6. lks. wide. Course S. E.
12.	00	A Run 3. lks. wide Course S. W.
16.	19	A Hickory 12. inc. diamr. in the line
34.	66	A W. Oak 20. inc. diamr. in the line
37.	00	A Run 4. lks. wide. Course. S. E.

T. No 2. S. R. No 7. W. 2nd Mer.

40.	00	Set a Post from which a W. Oak. 14. in. diam. bears S. 18. E. 15. lks. dist. & a Dogwood 6. in. diam. bears N. 42 W. 40. lks. dist.
50.	54	An Oak. 21. in. diam. in the line.
80.	00	Set a Post corner of Sec. 13. & 14. 23. & 24. from which an Elm 7. in. diam. bears. N. 69. W. 16. lks. dist. & an Oak. 6. in. diam. bears S. 44 E. 19. lks. dist. Friday Dec. 7th. 1804

North		Between Sec. 22. & 23. T. 2. S. R. 7 W. Same as above.
5	00	A Run 3. lks. wide. Course N. W.
25.	00	A Run 4 lks. wide. Course N W.
26.	72	An Oak. 20. in. diam. in the line.
40.	00	Set a Post. from which an Oak 14. in. diam. bears S. 54 W 36. lks. dist. & an Oak 16. in. diam. bears N 40. E. 16. lks. dist.
42.	50	A Brook 20. lks. wide. Course N. E.
46.	00	A Run 4. lks. wide; Course East.
72.	50	A Run 3. lks. wide; Course S. E.
80.	00	Set a Post Corner of Sec. 14. 15. 22. & 23. from which a Dogwood 6. in. diam. bears N. 63. E. 22. lks. dist. & an Oak 24. in. diam. bears S. 20. W. 40. lks. dist.

North		Between Sec. 21. & 22. T. 2. S. R. 7. W. Over hilly Upland; 2nd rate; Timber. Oak, Hickory, Ash. & Sum. Little Underwood;
1.	50	A Run 4. lks. wide. Course S. W.
2,	50	Same Run " " " S. E.
3.	00	Same Run " " " S. W.
20.	00	A Run 4. lks wide. Course S W.
20.	69	An Oak 25. in. diam. in the line.
36.	00	A Run 3. lks. wide. Course N. E.
40	00	Set a Cor. Sec. Post from which a Elm 9. in. diam. bears N 10. W. 30. lks. dist. & an Oak 20. in. bears S. 17. E. 18. lks. dist.
42.	50	A Run 6 lks. wide. Course N. W.
70.	00	A Hickory 16. in. diam. in the line.
80.	00	Set a Post Corner of Sec. 13. 16. 21. & 22. from which an Oak 18. in. diam. bears S. 71 E. 32. lks. dist.

T. N. 2. S. R. N. 7. W. 2nd Mer.

North		Between Sec. 20 & 21. T. 2. S. R. 7. W. Over 1st rate Upland. Timber, Oak, Hickory, Gum, Ash & plenty of Heritage
3.	00	A Run 3. lks. wide: Course N. W.
8.	50	A Brook 10. lks. wide. Course, S. W.
10.	00	Set a Post: from which an Oak 9. in. diam: bears N. 45. E. 34. lks. dist & a Dogwood 7. in. diam: bears S. 50. W. 26. lks. dist
69.	10	An Oak 15. in. diam: in the line
80.	00	Set a Post corner of Sec. 16 & 17. 20. & 21. from which a Dogwood 7. in. diam: bears S. 48. W. 31. lks. dist. & a Dogwood 7. in. diam: bears N. 49. E. 41. lks. dist.

North		Between Sec. 19 & 20. T. 2. S. R. 7. W. 2nd Mer.
4	00	A Brook 10. lks. wide. Course, E.
40	00	Set a Post: corner to Gr. Sec. from which a W. Oak 24. in. diam: bears S. 74. W. 28. lks. dist & a W. Oak 16. in. diam: bears N. 42. W. 41. lks. dist.
48.	76	An Oak 24 in. in diam: in the line.
80.	00	Set a Post Corner of Sec. 17. 18. 19 & 20 from which a W. Oak 15. in. diam: bears S. 46. E. 28. lks. dist. & a B. Oak 27. in. diam: bears N. 44. W. 27. lks. dist.

West		Between Sec. 18 & 19. T. 2. S. R. 7. W. Over 2nd rate Upland. Timber. Oak. Hickory. Ash. & Gum. The land is gently rising & descending.
21.	00	A Run 5. lks. wide: Course N. W.
26.	21	An Oak. 21. in. diam: on the line:
33.	00	A Run 4. lks. wide: Course N.
40.	00	Set a Post. corner to Gr. Sec. from which an Oak 24. in. in diam: bears S. 30. E. 66. lks. dist. & an Oak 20. in. in diam: bears N. 43. W. 41. lks. dist.
47.	50	A Run 3. lks. wide Course. N. E.
61.	00	A Run 3. lks. wide. Course North.
91.	34	Intersect the W. Range line 2.89 lks. S. of the 3. mile. Post. & set a Post: from which an Oak 19. in. in diam: bears S. 76. E. 34 lks. dist & an Oak 22. in. in diam: bears N. 71. E. 99. lks. dist.

T. No 2. S. R. No 7. W. 2nd Mer.

East		Between Sec. 17 & 20 on a True line. T. 2. R. 7 W.
		Over hilly Upland 2nd rate. Timber, Oak, Ash, Gum & Hickry
6	50	A Run 4 lks. wide. Course N W.
21	01	A W Oak 19 ins diam. in the line.
23	50	A Run 4 lks. wide. Course N. E.
34	00	A Run 6 lks. wide Course N. W.
39	90	The Same " " " " S. W.
40	50	Set a Post Corner to Qrs Sec. at average distance on the true line. from which a Locust 12 ins. diam. bears N. 50. W. 21 lks. dist. Yun Oak 20 ins diam. bears S. 63. E. 43 lks. dist.
63	60	A Run 7 lks. wide. Course S. W.
81	10	Intersect the N. & S. lines at a Post. Corner of Sec. 16. 17. 20 & 21.
		Monday Dec. 10th 1804.

East		Between Sec. 16 & 21 on a true line. T. 2. S. R. 7. W.
		2nd rate Upland. rising & Descending. Timber - W. & B. Oak Hickory & Cypress.
3	80	A Run 3 lks wide. Course N.
40	14	Set a Post Corner to Qrs Sec. on the true line at average dist. from which an Oak 24 ins diam. bears S. 49 E. 38 lks dist. A Yun Oak 20 ins. diam. bears N. 33. W. 47 lks dist.
61	41	A Hickory 12 ins diam. in the line.
68	70	A Run 8 lks wide. Course. N. E.
80	28	Intersect the N. & S. line at a Post. Corner of Sec. 15. 16. 21 & 22.

East		Between Sec. 15 & 22. T. 2. S. R. 7. W. Over hilly 2nd rate Upland. Timber. Oak. Hickory. Ash. Gum & Birch
13	00	A Run 6 lks. wide. Course N. 30. E.
35	50	A Run 3 lks. wide. Course N. W.
39	56	Set a Post Corner to Qrs Sec. at the average distance on true line from which a Gum 6 ins diam. bears N. 39. W. 24 lks dist. Do Gum 10 ins diam. bears S. 30. E. 07 lks. dist.
49	00	A Run 3 lks. wide. Course N. W.
57	72	An Oak 24 ins diam. in the line.
76	50	A Run 3 lks wide. Course South.
79	12	Intersect the N. & S. line at a Post. Corner of Sec. 14. 15. 22 & 23.

T. No 2. S. R. No 7. W. 2nd Mer.

East		Between Sec. 14 & 23. T. 2. S. R. 7. W. Over hilly Upland of the 2nd rate. Timber. Oak, & Hickory. &c &c.
12.	00	A Run 3. lks. wide. Course S. E.
30.	00	A Run 3. lks. wide. Course S. E.
40.	02	Set a Post Corner to Qr Sec. at an average distance in true line from which an Oak 22. inch. diam.r bears S. 11. E. 13 lks. dist. & a W. Oak 10. inch. diam.r bears N. 11. W. 14 lks. dist.
48.	00	2nd rate Bottom land. Timber. Ash, Elm, Maple, Elm & Buck.s
55.	50	A Brook 20. lks. wide. Course N. E.
60.	00	The Same. " " " " S. E.
70.	50	The Same " " " " N. E.
72.	50	The Same " " " " S. E.
73.	50	The Same " " " " N. E.
75.	00	A Run 3. lks. wide from the South
80.	04	Intersect the N. & S. line at a Post Corner of Sec.s 13. 14 23 & 24

East		Between Sec.s 13. & 24. T. 2. S. R. 7. W. Over Bottom land, Timber &c. the same as the last.
3.	30.	A Run 3. lks. wide. Course N. E.
5.	00	2nd rate Upland; Timber. Oak. Hickory Sugar & Ash.
12.	50	A Run 3. lks. wide. Course N.
18.	67	A Sugar tree 20. inch.s in diam.r in the line:
28.	00	To a Marsh Covered with Bramble.
40.	10	Set a Post for Qr Sec. Corner in a Marsh; no bearing trees.
45.	00	Bottom land of the 2nd quality. Timber. Ash. Elm
65.	00	Beech. Sugar Ire & Maple.
77.	00	A Pond surrounded with a Marshy lands. Bramble bushes. &c.
80.	20	Intersects E Range line at the Post Corner of Sec.s 13. 4. 24.

North		Between Sec.s 13. & 14. T. 2. S. R. 7. W. Over 2nd rate Bottom land. Timber. Ash. Sugar. Elm. & Maple. &c. &c.
6	50	A Run 3. lks. wide. Course N. W.
7.	00	The Same " " " " N. E.
9	50	A Brook 20. lks wide Course N. E.
14.	00	Hilly Uplands of the 2nd rate. Oak. Hickory Beech. Ash. Timber
19.	75	A W. Oak 12 inch. diam.r in the line:

T. No 2. S. R. No 7. W. 2nd Mer.

29. 50 A Run 4. lks wide: Course E.
40. 00 Set a Post 6. Corner to Qr Secs from which a Beech 7 inl. in diam.r bears N. 34 E. 47. lks. distt & a W Oak 12. inl. in diam.r bears S 70 W. 13. lks. distt
57. 50 A Run 3. lks. wide: Course N W.
60 27 A W Oak 20 inl. diam.r in the line.
67. 50 A Run 7. lks wide Course N. E.
80 00 Set a Post Corner of Secs. 11. 12. 13. & 14. from which a Beech 12 inl. diam.r bears N. 69 E. 36. lks. distt & a W. Oak 6 inl. in diam.r bears S 63 W. 30. lks. distt

---

North Between Secs. 14 & 15. T. 2. S. R. 7. W. Over hilly 2nd rate Upland. Oak. Hick.y, Ash, Beech, & Dogwood, some Underwood.
20. 46 An Oak 22. inl. in diam.r in the line.
40. 00 Set a Post Corner to Qr Sec. from which a Dogwood 7. inl. in diam.r bears N. 35. E. 19. lks. distt & a Do. 6. inl. diam.r bears S. 49. W. 17. lks. distt
46. 02 An Oak 19. inl. diam.r in the line,
51. 00 A Run 2. lks. wide, Course N. W.
60. 00 Set a Post Corner of Secs. 10. 11. 14. & 15. from which an Oak 14. inl. diam.r bears N. 63 E. 11. lks. distt & an Oak 16. inl. diam.r bears S. 27. W. 24 lks. distt Dec. 11th. 1804.

North Between Secs. 15. & 16. T. 2. S. R. No 7. W. Over hilly 2nd rate Upland Timber. Oak. Hickory & Dogwood,
18. 18 A Gum 18. inl. diam.r in the line.
31. 50 A Run 3. lks wide. Course N. W.
40. 00 Set a Post for Corner to Qr Sec. from which a Gum 7. inl. diam.r bears N 34. W. 8. lks. distt & W. Oak 16. inl. bears S. 70. E. 48. lks distt
47. 25 A Brook 10. lks wide. Course N. E.
51. 72 An Oak 20. inl. diam.r in the line.
64. 00 A Run 3. lks. wide. Course N E.
80. 00 Set a Post Corner of Secs. 9. 10. 15. & 16. from which a Gum 9. inl. diam.r bears N. 34. E. 45. lks. distt & an Oak 24. inl. in diam.r bears S. 64 W 48. lks. distt.

T. No 2. S. R. No 7 W. 2nd Mer.

North		Between Sec.s 16. & 17. T 2. South of Range No 7. W.
		Over 2nd rate Upland: Gently rising & descending.
		Timber. Oak. Hickory. Dogwood & Gum.
3.	00	A Run 3. lks. wide. Course N. W.
9.	50	A Run 6. lks. wide. Course W.
18.	50	An Oak 22. ins. in diam.r on the line.
40.	00	Set a Post Corner to Qrs Sec.s from which an Oak 18. ins. diam.r bears S. 14. E. 43. lks. dist.e & an Oak 21. ins. diam.r bears S. 35. W. 33. lks. dist.e
60.	00	A Run 4. lks. wide, Course. N. E.
61.	19	An Oak 19. ins. diam.r in the line.
70.	00	A Run 4. lks wide: Course E.
80.	00	Set a Post. Corner of Sec.s 8. 9 16 & 17. from which an Oak 18. ins. diam.r bears S. 48. W. 20. lks. dist.e & an Oak 16. ins. in diam.r bears N. 37. E. 39. lks. dist.e

---

North		Between Sec.s 17 & 18. T. 2 S. R. 7 W.
15.	60	The Bed of a Run 3. lks. wide: Course, N. E.
17	05	A W. Oak 20. ins. diam.r in the line.
21.	00	The Bed of a Run 8. lks wide. Course. N. W. Both Banks do
29.	00	The Bed of a Run 4 lks. wide Course S. W. Uplands of the 2nd rate. Oak
40.	00	Set a Post Corner for Qrs Sec.s from which an Oak 15. ins. diam.r bears S. 84. E. 22. lks. dist.e & an Oak 15. ins. diam.r bears N. 10. W. 80. lks. dist.e
51.	40	A W. Oak. 35 ins. diam.r on the line
55.	00	The Bed of a Run 8. lks wide Course W.
72.	84	A Hickory 24 ins. diam.r on the line.
80.	00	Set a Post Corner of Sec.s 7. & 8. 17. & 18. from which a Dogwood 10. ins. diam.r bears N. 34. E. 30. lks. dist.e & a Dogwood 6. ins. diam.r bears S. 74. W. 24. lks. dist.e

---

West		Between Sec.s 7. & 18. T. 2. S. R. 7. W. Over 1st rate
		Upland Timber. Oak. Hickory. Ash. Elm & Gum.
20.	00	To a Boundry Tree. thinly timbered with Oak. Hickory
		Aspen Hazel bushes & Grape Vines.
22.	50	A Run 4. lks. wide Course N. E.
40.	00	Set a Post Corner to Qrs Sec. from which an Oak 7 ins. diam.r bears

T. N.o 2. S. R. N.o 7. W. 2nd Mer.

		S 70. W. 24 lks. dist.& The best half mile is barren. few, or no trees.
89.	50	Intersected the W. Range line. 2. 27 lks. S. of the 4. mile Post. & set a Post: no bearing trees to be found.

East		Between Sec.s 8. & 17. T 2. S. R. 7. W. on the true line Over 1st. rate Upland gently rising & Descending, Timber Oak. Hickory. Ash. Gum. &c. & a thick growth of Underwood.
19.	11	A Hickory 13 inch. diam.r in the line.
1,0	33	Set a Post Corner to Sec.s 8. & 17. from which a Dogwood 6 inch. diam.r bears N. 54. W 19. lks. dist. & a Dogwood 6. inch. diam.r bears S. 35. E. 37. lks. dist. Dec. 12th. 1804
11.	50	To a Run 5. lks. wide: Course S.
80	66	Intersect the N. & S. line at a Post: Corner of Sec.s 9. 16. & 17.

East		Between Sec.s 9. & 16. T. 2. S. R. 7. W. on true line. Over hilly 2nd rate Upland. — Timber, Oak, Dogwood & Hickory &c.
18.	50	To a Run 4. lks. wide Course S. E.
28.	77	An Oak 30. inch. diam.r in the line
31.	50	To a Run 6 lks. wide. Course N. E.
32.	00	To a Run 5. lks. wide. Course N. E
37.	00	A Run 2. lks. wide Course North.
39	97	Set a Post corner to Sec.s &c. at an average dist. from which a Gum 12. inch. diam.r bears S. 28. E. 13. lks. dist. & a Dogwood 6. inch. diam.r bears. N. 44. W. 35. lks. dist.r
79.	94	Intersect the N. & S. line at a Post corner of Sec.s 9. 10. 15. & 16.

East		Between Sec.s 10. & 15. T. 2. S. R. 7. W. On a true line. Over hilly, 2nd rate Upland. Oak. Hickory Dogwood & Gum Timber
7	00	To a Brook 16. lks wide. Course N. E.
10.	30	To a Brook 10. lks. wide Course N.
35.	21	An Oak 12. inch. diam.r on the line.
38.	50	To a Run 3. lks. wide. Course N. W.
39.	82	Set a Post Corner to Sec.s &c. at an average distance from which an Oak 16 inch. diam.r bears N. 21. E 31. lks. dist. & an Oak 9. inch. diam.r bears S. 6. W. 46. lks. dist.
58.	50	A Run 3. lks. wide. Course N.

T. No 2. S. R. No 7. W. 2nd Mer.

66.	00	A Run 3. lks. wide: Course N.E.
73.	50	A Run 4. lks. wide. Course N.W.
79.	64	Intersects the N. & S. line at a Post Corner of Sec.s 10. 11. 14. & 15.

East Between Sec.s 11. & 14. on a true line. T. 2. S. R. 7. W.

26.	39	An Oak 15. in.s diam.r
39.	92	Set a Post Corner to Qr. Sec. at average distance. from which a Dogwood 7 in.s diam.r bears S. 19. W. 26. lks. dist. & a S. Gum 10 in.s diam.r bears N. 52. E. 26. lks. dist.
45.	00	1st rate Upland. Timber. Oak. Hickory. Ash. Sugar tree. Beech Gum & Dogwood. & thick. Undergrowth.
79.	84	Intersects the N. & S. line at a Post Corner of Sec.s 11. 12. 13. & 14.

East Between Sec.s 12. & 13. On a True line T. 2. S. R. 7. W. Over 1st rate Upland. Timber. Oak. Ash. Hickory. Some Elm & Sugartree.

3.	00	To 2nd rate Bottom Land. Timber. Elm. Maple. Ash. & Gum.
8	50	To a Run 10. lks. wide: Course N.
21.	15	A Gum 25. in.s diam.r in the line
36.	25	To a Brook 20. lks. wide. Course E.
40.	10	Set a Post Corner to Qr. Sec. at average dist. from which an Elm 10. in.s diam.r bears N. 19. E. 38 lks. dist. & a Gum 21. in.s in diam.r bears S. 49. W. 55. lks. dist.
43.	00	Peloha 300 lks. wide. Course N. 40. W.
56.	00	Peloha " " " " S. 60. W.r
64.	30	Peloha " " " " North.
80.	20	Intersects E. Range line at a Post Corner of Sec.s 12. & 13.

North Between Sec.s 11. & 12. T. 2. S. R. 7. W. Over 1st rate Upland. Timber. Oak. Hickory. Ash. Gum. Sugar. Beech &c. some little undergrowth.

6.	00	A Run 3. lks. wide. Course E.
17.	00	A Run 4. lks. wide " N.E.
19.	81	A Hickory 24 in.s diam.r in the line.
25.	00	To a Elm 10. in.s diam.r On the S. Branch of Peloha 300 lks. wide Course N. 40. W.

T. N. 2. S. R. W. 7. 2nd Mer.

34. 00 A Brook 50. lks. wide. Course W.
40. 00 Set a Post for Qr. Sec. Corner, from which a Beech 10. in. in diam. bears S. 24. E. 07 lks. dist. & a Do. 16. in. diam. bears N. 17. W. 36. lks. dist.
80. 00 Set a Post Corner of Sec. 1. 2. 11. & 12. from which an Ash 12. in. diam. bears N. 16. W. 23. lks. dist. & a Beech 30. in. diam. bears S. 42. E. 27. lks. dist.

North Between Sec. 10. & 11. T. 2. S. R. 7. W. Hilly 2nd rate Upland. Timber. Oak. Hickory. Ash. &c.

8. 00 A Run 3. lks. wide. Course N. W.
9. 90 A Hickory 10. in. diam. in the line.
17. 50 A Run 2. lks. wide Course N. W.
30. 00 A Run 3. lks. wide " N. W.
36. 00 A Run 2. lks. wide " N. W.
40. 00 Set a Post Corner to Qr. Sec. from which a Gum 9. in. diam. bears S. 24. W. 24. lks. dist. & a Sassafras 12. in. diam. bears N. 24 E. 24 lks. dist.
50. 30 A Run 3. lks. wide. Course N. W.
74. 00 A Run 3. lks. wide Course N. W.
80. 00 Set a Post Corner to Qr. Sec. 2. 3. 10. & 11. from which a W. Oak 25. in. diam. bears S. 69. W. 17. lks. dist. & a Gum 6. in. in diam. bears N. 69. E. 38. lks. dist. Dec. 13th 1804.

North Between Sec. 9. & 10. T. 2. S. R. 7. W. Over hilly 2nd rate Upland. Timber. Oak. Hickory & Dogwood.

15. 00 A Run 3. lks. wide. Course East.
23. 00 A Run 4. " " " E.
40. 00 Set a Post Corner to Qr. Sec. from which a Gum 9. in. diam. bears N. 68. E. 30. lks. dist. & a Dogwood 6. in. diam. bears S. 27. W. 4. lks. dist.
110. 50 A Run 3. lks. wide Course E.
35. 00 To Bottom land of the 3rd quality. Timber. Elm, Maple, Ash. Beech. Hickory &c.
70. 00 A Brook 15. lks. wide. Course N. W.
73. 00 To the Same " " " N. E.
75. 00 ... Same " " " N. W.
76. 00 ... Same. " " " N. E.

T. No 2. S. R. No 7. W. 2nd Mer.

77.	00	To the Same Brook 15. lks wide. Course N. W.
80.	00	Set a Post corner of Sec. 3 & 4. 9 & 10. from which a Maple 10. ins. diam. bears N. 52 E. 23 lks. dist & an Ash. 20. ins. in diam. bears S. 42. W. 48. lks. dist

---

North		Between Sec. 8 & 9. T. 2. S. R. 7. W. Over 2nd rate Upland. Timber. Oak. Hick. Gum &c. gently rising & descending
15.	16	An Oak 15. ins. diam. in the line.
25.	00	To a Run 4 lks. wide. Course N. E.
40.	00	Set a Post corner to Qr. Sec. from which an Oak 9 ins. diam. bears S. 19 W. 9. lks. dist & an Oak 12 ins. diam. bears N. 12 E. 27 lks dist
68.	00	To a Run 4 lks. wide. Course E.
80.	00	Set a Post corner of Sec. 4. 5. 8 & 9. from which an Oak 12 ins. diam. bears N. 43. W. 25. lks. dist & an Oak 10 ins. diam. bears S. 52. E. 45. lks. dist

---

North		Between Sec. 7 & 8. T. 2. S. R. 7. W.
1.	00	To a Run 3. lks wide. Course N. W
10.	00	To the Bed of a Run 3. lks. wide Course S. W.
27.	44	To an Oak 18. ins. diam. in the line. This mile in Upland of the 2nd rate. Timber. Oak. Hick. Dogwood & Plum tree.
40.	00	Set a Post. Corner to Qr. Sec. from which an Oak 24 ins. diam. bears S. 24 E. 74 lks dist & a Dogwood 6 ins. bears S. 25. W. 08. lks. dist
57.	92	A (W. Oak. 16. ins. diam. in the line.
58.	00	To a Run 3. lks. wide; Course N. E.
80.	00	Set a Post corner of Sec. 6 & 7. 7 & 8. from which an Oak 24 ins. diam. bears N. 25. W. 25. lks. dist & an Oak 20. ins. diam. bears S. 42. E. 3. lks dist

---

West		Between Sec. 6 & 7. T. 2. S. R. No 7. W.
11.	00	A Run 5. lks. wide. Course N. E.
17.	50	An Oak 14 ins. diam. in the line.
40.	00	Set a Post. Corner to Qr. Sec. from which an Oak 6 ins. diam. bears S 57. E. 33. lks. dist & an Oak 12. ins. diam. bears N 33. W. 53 lks. dist
57.	80	To a Run 3. lks. wide Course N.
85.	50	

T. N. 2. S. R. N. 7. W. 2nd Mer.

58 50 Intersect the W. Range line 1.67 lks. S of the 5. mile Cor. having no bearing trees near Sas by mile Bearing & Hilly. Dec. 14. 1864

East Between Sec. 5. & 8. T. 2. S. R. 7. W. on the base line Over 2nd rate Upland. Timber. Oak. Hickory. Ash. Gum & Dogwood. Some good bottoms on the rivers.

10. 50 Ja Run 3. lks. wide. Course N. E.

24. 00 Ja Run 6. lks. wide " North.

40. 99 Set a Post Corner to Gr. Sec. from which an Oak 12. in. diam. bears S 67 E 31 lks. dist. a Gum 3 in. bears N. 72. W. 50 lks. dist.

57. 46 An Oak 15. in. diam. in the line.

62. 00 A Run 6 lks wide. Course N. E.

80 58 Intersect the N. & S. line at a Post Corner of Sec. 4. 5. 8. & 9.

~~East~~ West Between Sec. 4 & 9. T. 2. S R 7. W. on base line. Over 2nd rate Bottom Land. Timber. Elm, Maple. Ash Oak. Hickory & Beech.

2. 50 Ja a Brook 15. lks wide. Course N. W.

5. 60 2nd rate Upland. Timber. Oak, Hickory. & Gum.

26 37 A Hickory 18 in. diam. in the line.

39. 15 Set a Post Corner to Gr. Sec. from which a Dogwood 6 in. diam. bears S. 46. E. 16 lks. dist. a Gum 8 in. diam. bears N. 34. W. 45. lks. dist.

70. 00 Ja Peloka river 200 lks wide course S. W. swift current.

76. 00 Ja. Peloka. " 2,50 " " N. W.

79. 50 Intersect the N. & S. line at the Post Corner of Sec. 34. 9 & 10.

West Between Sec. 3 & 10. T. 2. S. R. 7. W. Over hilly 2nd rate Upland. Timber. Oak, Hickory, Ash &c.

2 90 Ja a Brook 12. lks wide. Course N. E.

24. 00 Ja a Run 3. lks wide. Course S. E.

39 87 Set a Post Corner to Gr. Sec. from which an Oak 14 in. diam. bears N. 39. W. 25. lks. dist. a Gum 9. in. diam. bears S. 56. E 24 lks. dist.

79. 75 Intersect the N. & S. line at a Post Corner of Sec. 3. 4. 9. & 10

1864

T. N. 2. S. R. N. 7. W. 2nd Mer.

East — Between Sec.s 2. & 11. T. 2. S. R. N. 7. W. Over hilly 2nd rate Upland. Timber. Oak, Hickory, &c. True line.

20. 50 To a Run 3. lks. wide. Course S. E.
31. 00 To a Run 5. lks. wide Course N. E.
33. 00 To a Run 3. lks. " " North,
35. 47 An Oak 36. in. in diam.r in the line.
39. 78 Set a Post Corner to Qr. Sec. from which an Oak 20. in.s diam.r bears S. 55. W. 22. lks. dist. & an Ash 9. in.s bears N. 75. E. 22 lks. dist.
45. 00 To Bottom Land of the 2nd rate. Oak, Ash, B. Walnut & Beech. Timber.
54. 58 To Pole a Creek — lks. wide. Course N. 30 W.
79. 45 Intersect the N. & S. line at a Post Corner of Sec.s 1. 2. 11 & 12.

East — Between Sec.s 1. & 12. T. 2. S. R. 7. W. On a true line. Over 1st rate Upland gently rising & descending. Timber, Oak Hickory, Beech, Ash, Sugar Poplar, & B. Walnut &c.

6. 00 To a Run 4. lks wide Course S. W.
33. 50 To a Run 6. lks. wide. Course S. W.
40. 00 Set a Post Corner to Qr. Sec. from which a Beech 8 in.s diam bears N. 77. W. 20. lks. dist. & a Sugar 9 in.s bears S. 53. E. 40. lks. dist.
115. 50 A Run 5. lks. wide. Course S. W.
71. 00 To a Run 4 lks. wide. " South.
80. 00 Intersect the E. Range line at a Post. Corner of Sec.s 1. & 12.

Dec. 18th 1804.

North — Between Sec.s 1. & 2. T. 2. S. R. 7. W. Over 1st rate Upland. gently rising & descending — Beech. Sugar. Ash. Oak. & Hickory.

24. 30 To a Run 6 lks. wide. Course S. W.
40. 00 Set a Post for Qr. Sec. Corner from which a Beech 6. in.s in diam.r bears S. 47. E. 40. lks. dist. & an Oak. 24 in.s diam.r bears N. 34 W. 35. lks. dist.
58. 76 To a Gum 15. in.s diam.r in the line
64. 00 To a Run 4. lks. wide. Course W.
72. 00 To a Run 3. lks. wide. Course N. W.
76. 30 To a Run 7. lks. wide. Course S. W.
79. 36 Intersect the E. & W. line at a Post. Corner of Sec.s 1. & 2.

421

T. No 2. S. R. No 7 W 2nd Mer.

North Between Sec.s 2 & 3. T. 2. S. R. 7. W. Over 2nd rate hilly Upland. Timber Oak. Hickory. & some good bottom brakes

2. 00 To a Brook 12. lks. wide. Course N. E.

3. 00 To the Same " " " " N. W.

6. 00 To the Same " " " " N. E.

26. 00 To a Run 4. lks. wide; Course E.

40. 00 To a Post & Corner to Sec.s from which a Dogwood 8. ins. bears N. 19. E. 34 lks. dist. & a Gum 12 ins. diam.r bears S. 35. W. 65. lks. dist.

50. 00 To Batche. Bottom 2nd rate land. Timber, Maple, Ash, Gum, Elm.

63. 00 To Batche 2.50 lks. wide. Course W.

80. 00 Intersects N. & S. line at a Post & Corner of Sec.s 2. & 3.

North Between Sec.s 3 & 4. T. 2. S. R. 7. W. Over 2nd rate Bottom land Timber Elm Maple. Oak. &c. Ash.

9. 50 To a Run 3. lks. wide. Course W.

14. 00 To 2nd rate Upland. Timber. Oak. Hickory. & Walnut. & Ash.

17. 38 To an Oak 19 ins. diam.r in the line.

31. 00 To a Run 4 lks wide. Course W.

40. 00 To a Post & Corner to Sec.s. from which an Oak 17 ins. diam.r bears N. 32. E. 44 lks. dist.t & a Gum 7 ins. bears S. 14 W. 49 lks. dist.

54. 00 To a Creek. Bottom land. 2nd rate. Timber. Elm. Ash. Maple. &c.

67. 00 To Batche 2.50 lks. wide. Course W.

81. 25. Intersects the N. & S. line at a Post & Corner of Sec.s 3. & 4.

North Between Sec.s 4 & 5. T. 2. S. R. 7. W. Over 2nd rate Bottom land Timber. Maple. Elm. Ash &c.

22. 00 An Open Marsh.

40. 00 To a Post. for Sec.s Cor.r in marsh. no bearings.

51. 30 To a Brook. 20. lks. wide. Course S. W.

67. 00 To 2nd rate Upland. Timber. Oak. & Hickory.

82. 34 Intersects the N. & S. line at a Post & Corner of Sec.s 4. & 5.

North Between Sec.s 5 & 6 T. 2. S. R. 7. W. Over 2nd rate Upland. Timber Oak & Hickory.

To a Run 3. lks. wide. Course E.

16. 20 A W. Oak. 20. ins. diam.r in the line.

T. № 2. S. R. № 7. W. 2nd Mer.

29. 62 To a W Oak 18 in. diam.r in the line.
32. 50 To a Run 4 lks. wide. Course N. E.
38. 00 To a Run 3 lks. wide. Course E.
40. 00 Set a Post Corner to Sec. from which an Oak 20 in. in diam.r bears S. 13. E. 29 lks. dist & an Ash 6 in. diam.r bears N 35. W. 20 lks. dist.
53. 00 To Pebble 3.00 lks. wide course N. 30. W.
70. 00 To Same " " " " N. 70. E. some rich Bottom.
83. 15 Intersect the N. & S line at a Post. Corner of Sec.s 5. 6. 7. 8. Elm. Ash &c.

Wednesday Dec. 19. 1804.

Surveyed by Stephen Burton.

I certify that foregoing Transcript of the Field notes of Township № 2. S. R. № 7. West of the 2nd Mer. Ind.a has been Compared with the Original in this Office & found to be Correct.
Surveyor. Genls Office.
Cincinnati Nov. 25th 1839.

South Boundary.

West On S boundary of Sec. 36, T 2 S. R 7 W
6.00 Crossed a brook 10 lks. wide Course N 20 E.
17.27 a W. Oak 21 in. diam.r
18.20 a Spring run 2 lks. wide Course S. W.
23.00 a run 3 lks. wide Course S. E.
40.00 Set q.r Sec. post, from which
an Oak 10 in. diam.r bears N 63 E 41 lks. dist. &
a Do. 10 " " " N 33 W 55 " "
45.50 a run 3 lks. wide Course S. E.
69.50 a Do 3 " " " S. E.
77.00 an Oak 16 in. diam.r
80.00 Set post Cor. to Sec.s 35 & 36, from which
a Dogwood 6 in. diam.r bears N 6 E 29 lks. dist. &
a W. Oak 24 " " " N 22 E 75 " "

T 2 S — R 7 W. 2nd. Mer. Indiana

Ch. Lks. Mostly hilly upland 2nd. rate, timber Oak & Hickory, some rich bottom on the runs

---

West On S. boundary of Sec. 35
24.00 a run 3 lks. wide Course N.W.
24.86 an Oak 24 in. diam.
31.00 a run 3 lks. wide Course N.W.
31.50 a Do. 3 " " " N.E.
39.00 a Do 3 " " " N.E.
40.00 Set q. Sec. post, from which
a W. Oak 18 in. diam. bears N 44½ E 41 lks. dist.
a Do. 14 " " " S 24 W 27 " "
59.00 a run 3 lks. wide Course S.
63.50 a Do 3 " " " N.W.
65.00 Same " " " S.W.
73.00 a run 5 lks. " " South
80.00 Set post Cor to Sec. 34 & 35, from which
an Oak 24 in. diam. bears S 34 W 41 lks. dist.
a Do. 18 " " " N 76 E 27 " "
Over hilly 2nd. rate, upland timber Oak

West On S. boundary of Sec. 34
4.50 a run 4 lks. wide Course S.E.
10.00 a Do. 3 " " " South
23.97 a W. Oak 22 in. diam.
40.00 Set q. Sec. post, from which
a W. Oak 12 in. diam. bears N 57 W 46 lks. dist.
a Do. 10 " " " S 23 E 42 " "
43.50 a run 7 lks. wide Course South
44.00 Same " " " N.W.
46.50 Same " " " S.W.
47.00 Same " " " N.W.
48.00 Same " " " S.W.
49.39 an Oak 16 in. diam.
50.00 a run 3 lks. wide Course South
72.00 a Do 3 " " " "

T 2 S — R 7 W. 2d. Mer. Indiana

Ch. lks.	
80.00	a White Oak 30 in. diam. Stand for Corner to Sec. 33 & 34, from which a W. Oak 12 in. diam. bears S 21 W 33 lks. dist. & a Do. 15 " " " N 50 E 18 " " Land timber &c. same as on the last mile

---

West	On S. boundary of Sec. 33
24.38	a W. Oak 9 in. diam.
38.00	Plum, Oak & grape-vine
40.00	Set qr. Sec. post, from which a Cherry 16 in. diam. bears N 17 E 72 lks. dist. & no other near
43.00	timbered land Commences
52.36	a W. Oak 20 in. diam.
80.00	Set post Cor. to Sec. 32 & 33, from which an Oak 20 in. diam. bears N 63 W 69 lks. dist. & a W. Oak 9 " " " N 67 E 25 " " Over 2d. rate upland, gently uneven, timber Oak, Hickory, Cherry, Dogwood &c

---

West	On S. boundary of Sec. 32
35.00	a run 4 lks. wide Course N.W.
40.00	Set qr. Sec. post, from which an Oak 12 in. diam. bears N 11 E 53 lks. dist. & a Dogwood 6 " " " N 51 W 38 " "
45.00	a run 4 lks. wide Course S.E.
51.95	a Hickory 21 in. diam.
55.00	level wet land, timber Elm, Maple, Ash &c.
80.00	Set post Cor. to Sec. 31 & 32, from which a Maple 14 in. diam. bears S 36 W 21 lks. dist. & an Ash 6 " " " N 72 E 35 " " Land same as last, timber Ash, Elm, Oak

---

West	On S. boundary of Sec. 31
28.32	an Oak 24 in. diam.
40.00	Set qr. Sec. post, from which

T2 S. R 7 W. 2nd. Mer. Indiana

ch. lks.	
	a Poplar 24 in. diam. bears N45 E 38 lks. dist.
	a Maple 12 " " " N54 W 8 " "
44.50	a Brook 40 lks. wide Course North
58.04	an Oak 20 in. diam.
63.50	a Creek 50 lks. wide Course S.W.
71.50	Same " " " N.W.
75.00	Same " " " S.W.
77.00	Same " " " N.W.
99.77	Intersected W. Range line at the Cor. of Town 2 & 3 S. Range 7 & 8 W. from which
	a Maple 16 in. diam. bears N60 E 20 lks. dist. &
	an Oak 18 " " " N35 E 62 " "
	full North of the Corner 550 lks.
	Land Same as last timber Ash, Elm, Oak, Poplar &c
	Friday 30th November 1804
	Stephen Benton, D. S.

North Boundary

West	On S. boundary of Sec. 36, T2 S. R 7 W.
29.18	a W. Oak 18 in. diam. Station
32.00	bed of a run 6 lks. wide Course N.W.
40.00	Set qr. Sec. post, from which
	a Gum 12 in. diam. bears N35 W 34 lks. dist. &
	a Sugar 7 " " " N65 E 16 " "
43.00	a run 6 lks. wide Course N.W.
44.80	a Do. 6 " " " North
60.75	a Do 8 " " " North
72.50	Bed of a run 6 lks. wide Course N.W.
76.00	Bed of a Do. 20 " " " S.W.
77.00	a Stone quarry S. side of the line
80.00	Set post Cor. to Sec. 35 & 36, from which
	a Beech 15 in. diam. bears N42 E 47 lks. dist. &
	a Hickory 20 " " " N73 E 20 " "
	This mile upland, 1st rate, timber as on last mile
	but somewhat hilly.

T2S R7W. 2d. Mer. Indiana

ch's lks.	
West	On S. boundary of Sec. 35, T1S. R7W
0.10	a run 10 lks. wide Course S. 30° W.
7.00	bed of a run 10 lks. wide Course S. E.
14.00	bed of a Do. 8 " " " S20 E.
27.86	a W. Oak 16 in. diam^r. Station
40.00	Set q^r. Sec. post, from which
	a Sugar 16 in. diam^r. bears N75 E43 lks. dist. &
	a Do. 18 " " " S52½ W73 " "
57.38	a Gum 9 in. diam^r. Station
63.50	a Brook 25 lks. wide Course South
67.00	Same " " " North
69.00	Same " " " S20 W
80.00	Set post Cor. to Sec^s. 34 & 35, from which
	an Ash 15 in. diam^r. bears N46½ W12 lks. dist. &
	a Beech 21 " " " S27½ W37 " "
	a Do 9 " " " N41 E30 " "
	Mostly upland 1st. quality, timber Sugar, Beech, Poplar, Oak, Hickory, Honey Locust, gently rolling & declining, some 2nd. rate bottom land on Creek

---

West	On S. boundary of Sec. 34, T1S. R7W
30.86	a Beech 16 in. diam^r. Station, Mulberry plenty of herbage
40.00	Set q^r. Sec. post, from which
	a Beech 18 in. diam^r. bears N56 E26 lks. dist. &
	a Do. 15 " " " S41 E35 " "
53.38	a Station tree 12 in. diam^r.
54.00	a Brook 30 lks. wide Course South
71.13	A Pepperage 21 in. diam^r. Station
76.00	a Brook 30 lks. wide Course S30 W, Swift Current
80.00	Set post Cor. to Sec^s. 33 & 34, from which
	a Beech 22 in. diam^r. bears N73 E36 lks. dist. &
	an Elm 10 " " " N57 E37 " "
	a Beech 12 " " " S16 W31 " "
	Level meadow land 2nd. quality, Beech, Sugar, Poplar, W. Oak, Elm & Ash.

T2 S. R7 W. 2nd. Mer. Indiana

ch. lks.	
West	On S. boundary of Sec. 33, T15. R7W
10.20	an Elm 24 in. diam: Station
35.00	bed of a run 10 lks. wide Course S.
40.00	Set q: Sec. post, from which
	a W. Oak 20 in. diam: bears S40 W14 lks, dist. 6
	a Maple 14 " " " N61 E36 " "
52.73	a Poplar 42 " " Station
49.50	bed of a run 12 lks. wide Course South
55.00	a run 15 lks. wide Course S.E.
70.00	upland 1st. quality
80.00	Set post Cor. to Sec's. 32 & 33, from which
	a Beech 15 in. diam: bears S27 W67 lks. dist. 6
	a W. Oak 18 " " " S14 E48 " "
	a Do. 12 " " " N39 E50 " "
	Land 1st. quality, timber W.O. B. Oak, Hickory & Ash.

West	On S. boundary of Sec. 32, T15. R7W
0.25	Bed of a run 12 lks. wide Course S.
17.00	bed of a Do. 12 " " " S.E.
36.50	bed of a Do. 6 " " " S.W.
40.00	Set q: Sec. post, from which
	a W. Oak 20 in. diam: bears S74 E17 lks. dist. 6
	a Do. 6 " " " N59 W55 " "
45.03	a Poplar 6 " " Station
49.00	bed of a run 6 lks. wide Course S.W.
61.00	a run 6 lks. wide Course S.E.
72.00	Patoka Creek 150 lks. wide Course N
80.00	Set post Cor. to Sec's. 31 & 32, from which
	an Elm 8 in. diam: bears N45 W54 lks. dist. 6
	a Do. 7 " " " S36 E11 " "
	Over upland 1st. quality gently rising & descending
	Ash, Hickory, Poplar, Gum, Sugar & Beech, thick U.G.

West	On S. boundary of Sec. 31, T15. R7W.
27.50	Bed of a stream 10 lks. wide Course N.
40.00	Set q: Sec. post, from which

T2 S. R7W. 2nd. Mer. Indiana

ch. lks.	
	a W. Oak 20 in. diam: bears N73W68 lks. dist. &
	a Do. 12 " " " N64E38 " "
48.00	bed of a run 4 lks. wide Course N.E.
85.50	a run 4 lks. wide Course N.W.
90.03	to a post standing at the Corner of Townships 1 & 2 South Ranges 7 & 8W. full north 114 lks. of Conection. First 1/2 mile bottom land 2d. rate Oak, Hickory, Poplar & Sassafras, undg. w. Spicewood East 1/2 mile hilly upland of 2d. rate quality, timber Same. Saturday 29th Oct. 1804 Stephen Burton, D.S.

West Boundary

South	On E. boundary of Sec. 1, T2 S. R8W
40.00	Set q. Sec. post, from which
	a W. Oak 14 in. diam: bears S9W34 lks. dist. &
	a Do. 18 " " " N41E48 " "
80.00	Set post Cor. to Sec. 1 & 12, from which
	a Swamp Oak 24 in. diam: bears N63E114 lks. dist. &
	a Do. 24 " " " N66W71 " "
	Land 3d. rate Barreny bushy, briery &c. timber

South	On E. boundary of Sec. 12, T2 S. R8W.
40.00	Set q. Sec. post, from which
	a B. Jack 4 in. diam: bears S82E22 lks. dist. &
	no other timber
80.00	Set post Cor. to Sec. 12 & 13 in Barren no timber
	Land 3d. rate, Bushy, Briery &c.
	October 26th. 1804

South	On E. boundary of Sec. 13, T2 S. R8W
40.00	Set q. Sec. post, from which
	a W. Oak 24 in. diam: bears N82E25 lks. dist. &
	a D. Wood 8 " " " S75E28 " "
48.00	a W. Oak 6 " "
80.00	Set post Cor. to Sec. 13 & 24, from which

T 2 S — R 7 W. 2nd. Mer. Indiana

ch. lks.	
	a W. Oak 12 in. diam^r. bears N 45 W 12 lks. dist. &
	a Do. 14 " " " S 14 W 46 " "
	First 1/2 mile low barreny without timber —
	2nd. half mile 2nd. rate hill land Oak timber

South	On E. boundary of Sec. 24, T 2 S. R 8 W
27, 14	a W. Oak 20 in. diam^r.
40.00	Set q^r. Sec. post, from which
	a W. Oak 12 in. diam^r. bears N 25 E 24 lks. dist. &
	a Do. 11 " " " N 71 W 47 " "
70.00	a W. Oak 30 " "
80.00	Set post Cor. to Sec^s. 24 & 25, from which
	a W. Oak 14 in. diam^r. bears N 87 W 42 lks. dist. &
	a Do. 14 " " " S 44 W 80 " "
	Second rate White Oak ridges

South	On E. boundary of Sec. 25, T 2 S. R 8 W
21.00	a W. Oak 20 in. diam^r.
40.00	Set q^r. Sec. post, from which
	a W. Oak 12 in. diam^r. bears N 46 E 35 lks. dist. &
	a Do. 13 " " " S 7 W 31 " "
48.00	a W. Oak 28 " "
80.00	Set post Cor. to Sec^s. 25 & 36, from which
	a Gum 11 in. diam^r. bears N 10 W 40 lks. dist. &
	a Do. 9 " " " S 56 W 65 " "
	Level White Oak land — 2nd. half hill quality

South	On E. boundary of Sec. 36, T 2 S. R 8 W
40.00	Set q^r. Sec. post, from which
	a Maple 12 in. diam^r. bears S 52 W 18 lks. dist. &
	a Do. 8 " " " S 51 E 21 " "
67.00	a Creek 80 lks. wide Course N. W.
74.00	Cost Creek at Forks, one coming from S. W. &
	the other from the east
80.00	Set post Cor. to Township 2 & 3 South, of Range
	7 & 8 West, from which

T 2 S. R 7 W. 2nd. Mer. Indiana

ch. lks.

a Birch 12 in. diam. brs N 74 W 50 lks, dist. 6
a B. Walnut 8 " " " N 83 W 35 " "
Flat land, timber W. R. W. Oak, Gum &c.

Edward W. Clapper &
Augustus Stone,
Deputy Surveyors

I Certify that the foregoing transcript of field notes of Township No. 2 South, of Range No. 7 West of the 2nd. Principal Meridian, Indiana, has been Compared with the original notes in this Office and found to be Correct.

Surveyor Generals Office
Detroit. Oct. 22 1849

Surveyor General